Ultrastructural Changes of Dendritic Cells in Wound Healing

(in Georgian)

Beriashvili Rusudan

Forensic Medicine Department of TSMU

Collection of Sci Works; TSMU, Vol XLI, Tbilisi, 2005-2006

Summary

The aim of study was definition of ultrastructural characteristics of dendritic cells participating in stub wound healing and their evaluation as a tool for wound age estimation. As the material of experimental study were used 100 adult Wistar white rats. The samples were taken from animals after 3 h, 6 h, 24 h, 3 days after injection.

The results of study revealed, that ultrastructural changes of dendritic cells vary according to the regeneration process of tissue and depend on inflammatory stimuli in different periods of wound healing. The ultrastructural characteristics of dendritic cells markedly change in injured area, confirming their high effectiveness for wound age estimation.

References:

- 1. Ali T.T.: The role of white blood cells in post-mortem wounds. Medicine, Science and Law, 1988, 28: 100-106.
- 2. Althoff H., Schäfer T.: Pathomorphologische Venenbefunde bei Drogentoten. Rechtsmedizin, 1992, 2: 148-151.
- 3. Cotran R.S., Kumar V., Robbins S.L.: Inflammation and Repair. Robbins Pathologic Basis of Disease, 5th ed., W.B.Saunders Comp., 1994, 35-93, 171-241, 1173-1175.
- 4. Hiss J., et al: Aging of wound healing in an experimental model in mice. American Journal of Forensic Medicine and Pathology, 1988, 9:310-312.
- 5. Knight B.: The pathology of wounds. Forensic Pathology, II ed. Arnold, London, 1996, 133-170.











